2011 Military Health System Conference

Preventive Cardiology Clinic:

An Integrated Multi-Disciplinary Approach to Risk Factor Modification

The Quadruple Aim: Working Together, Achieving Success

R. Scott Holuby, Pharm.D., BCPS, BC-ADM, Clinical Pharmacist, Cardiology Service, Brooke, Army Medical Center









Disclaimer



The views expressed herein are those of the authors and do not reflect the official policy or position of Brooke Army Medical Center, the U.S. Army Medical Department, the U.S. Army Office of the Surgeon General, the Department of the Army, Department of Defense or the U.S. Government.

The Quadruple Aim: The MHS Value Model



Readiness

Ensuring that the total military force is medically ready to deploy and that the medical force is ready to deliver health care anytime, anywhere in support of the full range of military operations, including humanitarian missions.

Experience of Care

Providing a care experience that is patient and family centered, compassionate, convenient, equitable, safe and always of the highest quality.

Readiness

Ager Capita Cost

Population Health

Reducing the generators of ill health by encouraging healthy behaviors and decreasing the likelihood of illness through focused prevention and the development of increased resilience.

Per Capita Cost

Creating value by focusing on quality, eliminating waste, and reducing unwarranted variation; considering the total cost of care over time, not just the cost of an individual health care

2011 MHS Conference

Strategic Imperatives and Performance Measures



- Population Health
 - Engage patients in healthy behaviors
- Experience of Care
 - Deliver evidence-based care
- Per Capita Cost
 - Manage health care costs
- Learning & Growth
 - Foster innovation


Why a Preventive Cardiovascular Clinic?



- Increased recognition of cardiovascular and peripheral vascular disease:
 - Often missed
 - High prevalence
 - High cardiovascular risk
 - Poor quality of life
 - Robust evidence-based screening and treatment guidelines for PAD, lipid disorders and preventive screening

Prevalence of PAD






NHANES=National Health and Nutrition Examination Study;

PARTNERS=PAD Awareness, Risk, and Treatment: New Resources for Survival [program].

- 1. Selvin E, Erlinger TP. Circulation. 2004;110:738-743.
- 2. Criqui MH, et al. Circulation. 1985;71:510-515.
- 3. Diehm C, et al. Atherosclerosis. 2004;172:95-105.
- 4. Meijer WT, et al. Arterioscler Thromb Vasc Biol. 1998;18:185-192.
- 5. Hirsch AT, et al. *JAMA*. 2001;286:1317-1324.

Survival in Patients With PAD






Criqui MH et al. N Engl J Med. 1992;326:381-386.

Why Risk Factor Modification?





Preventive Cardiology Clinic Vision



- Preventive Cardiology Clinic (PCC)
 - Coordination with Vascular Surgery, Cardiac Rehab, Nutrition, and Cardiac CT
 - Designed to enhance cardiovascular screening, medical management, exercise program and promote tobacco cessation and prevention
- Referral base/process
 - Internal Medicine, Primary Care, Cardiology, CT and Vascular surgery
 - Self referral/advertising
 - Captures population lost to civilian sector; improved access to screening and preventive services


PCC Mission



- Improve ability to detect/treat all cardiovascular disease
- Aggressive early risk factor modification to evidence-based goals
 - Prevent progression
 - Provide medical management according to national guidelines
 - Improve quality of life and survival
- Monitor and refer for symptoms that require additional evaluation or intervention

PCC Structure





PCC Performance Measures



- Risk assessment
 - Estimate risk of coronary heart disease based on Framingham 10-yr risk and symptom screening
 - Screening with coronary CT calcium scoring
 - Additional testing as indicated (stress test, echo)
- Tobacco use cessation
 - Attendance, cessation and abstinence rates at 1, 6, and 12 months


PCC Performance Measures (cont'd)



- Cholesterol management
 - Achievement of lipid treatment goals
 - LDL < 100 mg/dl
- Antiplatelet therapy
 - Assessment and initiation if indicated
- Peripheral arterial disease (PAD)
 - Screening ABIs
 - Referral to Vascular Surgery as indicated
 - Cardiac Rehab and improvement in functional capacity


Antiplatelet & Lipid Treatment





Tobacco Use Cessation Rates





*Hunt WA, et al. *J Clinical Psych*, 1971; 27:455-56.


Supervised Exercise Therapy



- Performed in Cardiac Rehab
- Frequency: 5 sessions/week (2 supervised)
- Type of exercise: treadmill to nearmaximal claudication pain
- Length: > 3 months
- Results: 100-150% improvement in maximal walking distance and associated improvement in quality-oflife

Improvement in Exercise Capacity





Summary



- A multi-disciplinary approach and patientcentered design enhances participation and optimizes success.
- PCC demonstrated improved identification and screening of patients, improved implementation of preventive therapies and achievement of goals and improved quality of life.
- This concept could be replicated using existing resources in most military treatment facilities.

Brooke Army Medical Center Team Members



- MAJ Ahmad Slim, MD, MC, USA
- R. Scott Holuby, Pharm.D.
- Charolotte Baldridge, APN
- Deborah Redman, APN
- Jennifer Morgan, RN, MSN
- Susan Manship, RD
- Stacey Dramiga, MA, FAACVPR
- Norma Suarez, APN
- COL Mary Jo K. Rohrer, MD, MC,



2011 Military Health System Conference

Preventive Cardiology Clinic:

An Integrated Multi-Disciplinary Approach to Risk Factor Modification

The Quadruple Aim: Working Together, Achieving Success

R. Scott Holuby, Pharm.D., BCPS, BC-ADM, Clinical Pharmacist, Cardiology Service, Brooke, Army Medical Center







